



GENERAL INFORMATION

TRANSPORT SOLUTIONS/SET-UP TIMES



THE MOBILE BAR SYSTEM FOR TRADE
FAIRS, EVENTS AND GASTRONOMY.
FLEXIBLE. SUSTAINABLE. MODERN.

TRANSPORT SOLUTIONS/SET-UP TIMES

► G-RAXX Version „A“

Bars with G-Raxx base frames require more loading space than G-Flexx base frames. At least one box van is needed for transport. Even smaller box vans can easily accommodate a 2.4-3.0 m wide G-Raxx bar.



► PACKING BAGS

Felt or PVC packing bags are available for many components to protect your G-Rack bar from scratches and knocks.

► SET-UP TIMES

Due to the lightweight construction, G-Rack components are easy to handle - even by a single person. With a little practice, a 3 m long bar can be assembled by one person within 20 minutes*. On top of that, there is the individual "Mise en Place".

*measured from the time when all parts/bags have been brought to the actual assembly site.

TRANSPORT SOLUTIONS/SET-UP TIMES

► G-RAXX Version „B“

Bars with G-Raxx base frames can be transported fully assembled in partial elements of 60 cm or 120 cm each. A felt cover protects all components from scratches and knocks during storage and transport.

► SET-UP TIMES

The assembly time by one person is reduced to a minimum of a few minutes for a 3 m long bar, because the elements only have to be connected to each other sideways.



► PRICES

Filzhusse für 60 cm Bar-Element
Filzhusse für 120 cm Bar-Elemente

auf Anfrage
auf Anfrage

Since 2022, front frames can be securely connected to the G-Raxx base frames.

Established customers have the option of retrofitting this front frame safety device.
Please do not hesitate to contact us.



TRANSPORT SOLUTIONS/SET-UP TIMES

► G-FLEXX Version „A“

Due to the foldable construction, a G-Flexx bar requires less loading volume for transport than a bar based on G-Raxx base frames. Parts for a 4.8 m wide bar can easily be transported in a box van. Felt or PVC packaging bags are available for many components to protect your G-Rack bar from scratches and knocks.



► SET-UP TIMES

Due to the lightweight construction, G-Rack components are easy to handle - even by a single person. With a little practice, a 3 m long bar (picture shows a 4.8 m long bar) can be assembled by one person within 20 minutes*. On top of that, there is the individual "Mise en Place".

*measured from the time when all parts/bags have been brought to the actual assembly site.

DO YOU HAVE ANY QUESTIONS ?

Your contact person : Kay Muhlack

Phone: (+49) 431 – 648 06 0

E-mail: k.muhlack@g-rack.de

Status: 01.12.2022

